

Uniq-Scaffgap

Scaffold Board Gap Bridging Solution

Fast Safe Easy Economical

The Work at Height Regulations 2005 impose a duty to provide safe working platforms.

One of the most common causes of injury on construction sites is falling objects hitting site operatives.

The 50mm gap between scaffold boards that is created by the inside supporting standards represents a very real hazard in this regard, being sufficient to allow most hand tools and small site equipment to fall through.

Until now, the most common way of bridging this gap, and thereby assuring site safety, has been to cut and fix timber strips to the scaffold boards, a time-consuming process which can compromise the integrity of the boards and create a tripping hazard.



Uniq-Scaffgap provides the ideal solution to the problem:-

It's fast

Uniq-Scaffgap simply clips onto one of the scaffold boards on either side of the gap to create an instant, safe and secure bridge between the two.



It's safe

Uniq-Scaffgap complies with Work at Height Regulations 2005 and recognised industry best practice. Manufactured from a high-impact polymer, Uniq-Scaffgap has excellent load bearing qualities and will withstand everyday site use.

It's easy

Uniq-Scaffgap requires no special tools to fix and is supplied in lengths conforming to standard scaffold centres of 1.7, 2.0 and 2.3 metres. Uniq-Scaffgap can also be cut to size using simple hand tools with the minimum of fuss.

It's economical

Uniq-Scaffgap is also extremely cost-effective, having the capability to be used over and over again to deliver an excellent return on your investment.



Don't wait for accidents to happen. Protect yourself and your work force with Uniq-Scaffgap.

Your unique solution for safely bridging the gap.



Inform (UK) Limited
Industrial Park Ely Road Waterbeach Cambridge CB25 9PG
Tel: 01223 862230 Fax: 01223 440246
Website: www.uniq-scaffgap.co.uk
www.informuk.co.uk
E-mail: scaffgap@informuk.co.uk